FEBS Letters 352 (1994) 409–411

Contents to volume 352

Research Letters

Vitamin D influences gap junctional communication in C3H/10T 1/2 murine fibroblast cells (FEBS 14471) *W. Stahl, S. Nicolai, M. Hanusch, H. Sies* 1

Ascorbic acid synthesis is stimulated by enhanced glycogenolysis in murine liver (FEBS 14518) *L. Braun, T. Garzó, J. Mandl, G. Bánhegyi* 4

Distribution profiles of GC content around the translation initiation site in different species (FEBS 14511) *M. Mizuno, M. Kanehisa* 7

Neopterin derivatives together with cyclic guanosine monophosphate induce c-*fos* gene expression (FEBS 14512) *F. Überall, G. Werner-Felmayer, C. Schubert, H.H. Grunicke, H. Wachter, D. Fuchs* 11

Iron released from transferrin at acidic pH can catalyse the oxidation of low density lipoprotein (FEBS 14516) *D.J. Lamb, D.S. Leake* 15

Protein kinases and protein synthesis are involved in desensitization of the plasminogen activator response of rat Sertoli cells by follicle-stimulating hormone (FEBS 14519) *V. Laurent-Cadoret, F. Guillou, Y. Combarnous* 19

Zonation of the action of glucagon on gluconeogenesis studied in the bivascularly perfused rat liver (FEBS 14528) *J. Constantin, E. Ishii-Iwamoto, F. Suzuki-Kemmelmeier, A. Bracht* 24

Immunoglobulin-type domains of titin are stabilized by amino-terminal extension (FEBS 14524) *A.S. Politou, M. Gautel, C. Joseph, A. Pastore* 27

Ca^{2+} influx drives agonist-activated $[Ca^{2+}]_i$ oscillations in an exocrine cell (FEBS 14526) *S.C. Martin, T.J. Shuttleworth* 32

Absorption flattening in the optical spectra of liposome-entrapped substances (FEBS 14525) *P. Wittung, J. Kajanus, M. Kubista, B.G. Malmström* 37

Lipofectin-aided cell delivery of ribozyme targeted to human urokinase receptor mRNA (FEBS 14527) *K. Karikó, K. Megyeri, Q. Xiao, E.S. Barnathan* 41

Lessened malate inhibition of guard-cell phospho*enol*pyruvate carboxylase velocity during stomatal opening (FEBS 14529) *S.Q. Zhang, W.H. Outlaw Jr., R. Chollet* 45

Dystroglycan is a binding protein of laminin and merosin in peripheral nerve (FEBS 14530) *H. Yamada, T. Shimizu, T. Tanaka, K.P. Campbell, K. Matsumura* 49

Quinoline anti-malarial drugs inhibit spontaneous formation of β-haematin (malaria pigment) (FEBS 14534) *T.J. Egan, D.C. Ross, P.A. Adams* 54

A role for metals and free radicals in the induction of apoptosis in thymocytes (FEBS 14533) *J.T. Wolfe, D. Ross, G.M. Cohen* 58

Engineering *Ascaris* hemoglobin oxygen affinity in sperm whale myoglobin: role of tyrosine B10 (FEBS 14531) *C. Travaglini Allocatelli, F. Cutruzzolà, A. Brancaccio, B. Vallone, M. Brunori* 63

Observation of the Fe–O_2 and Fe^{IV}=O stretching Raman bands for dioxygen reduction intermediates of cytochrome *bo* isolated from *Escherichia coli* (FEBS 14532) *S. Hirota, T. Mogi, T. Ogura, T. Hirano, Y. Anraku, T. Kitagawa* 67

Differentiation potentiates oxidant injury to mitochondria by hydrogen peroxide in Friend's erythroleukemia cells (FEBS 14495) *M. Comelli, G. Lippe, I. Mavelli* 71

Mutation of Lys-120 and Lys-134 drastically reduces the catalytic rate of Cu,Zn superoxide dismutase (FEBS 14498) *F. Polticelli, A. Battistoni, G. Bottaro, M.T. Carrì, P. O'Neill, A. Desideri, G. Rotilio* 76

Molecular identification of catalases from *Nicotiana plumbaginifolia* (L.) (FEBS 14536) *H. Willekens, R. Villarroel, M. Van Montagu, D. Inzé, W. Van Camp* 79

Identification of metabolic pathways of the lipid peroxidation product 4-hydroxynonenal by mitochondria isolated from rat kidney cortex (FEBS 14535) *O. Ullrich, T. Grune, W. Henke, H. Esterbauer, W.G. Siems* 84

The cyclic structure of the enterococcal peptide antibiotic AS-48 (FEBS 14538) *B. Samyn, M. Martinez-Bueno, B. Devreese, M. Maqueda, A. Gálvez, E. Valdivia, J. Coyette, J. Van Beeumen* 87

A toxin from the green mamba *Dendroaspis angusticeps*: amino acid sequence and selectivity for muscarinic m4 receptors (FEBS 14546) *M. Jolkkonen, P.L.M. van Giersbergen, U. Hellman, C. Wernstedt, E. Karlsson* 91

Two-step binding of green mamba toxin to muscarinic acetylcholine receptor (FEBS 14539) *T. Toomela, M. Jolkkonen, A. Rinken, J. Järv, E. Karlsson* 95

Purification of FKBP-70, a novel immunophilin from *Saccharomyces cerevisiae*, and cloning of its structural gene, *FPR3* (FEBS 14540) *U.C. Manning-Krieg, R. Henríquez, F. Cammas, P. Graff, S. Gavériaux, N.R. Movva* 98

Distribution and characterization of immunoreactive rat adrenomedullin in tissue and plasma (FEBS 14541) *J. Sakata, T. Shimokubo, K. Kitamura, M. Nishizono, Y. Iehiki, K. Kangawa, H. Matsuo, T. Eto* 105

The regulation of sodium-dependent transport of anionic amino acids in cultured human fibroblasts (FEBS 14542) *R. Franchi-Gazzola, R. Visigalli, O. Bussolati, G.C. Gazzola* 109

ARF1-regulated phospholipase D in human neutrophils is enhanced by PMA and MgATP (FEBS 14543) *J. Whatmore, P. Cronin, S. Cockcroft* 113

Mutations to kirromycin resistance occur in the interface of domains I and III of EF-Tu·GTP (FEBS 14550) *F. Abdulkarim, L. Liljas, D. Hughes* 118

Cyclic ADP-ribose does not affect cardiac or skeletal muscle ryanodine receptors (FEBS 14544) *B.R. Fruen, J.R. Mickelson, N.H. Shomer, P. Velez, C.F. Louis* 123

The bacteriochlorophyll biosynthesis gene, *bchM*, of *Rhodobacter sphaeroides* encodes *S*-adenosyl-L-methionine: Mg protoporphyrin IX methyltransferase (FEBS 14547) *L.C.D. Gibson, C.N. Hunter* 127

Comparative modelling of barley-grain aspartic proteinase: a structural rationale for observed hydrolytic specificity (FEBS 14548) *K. Guruprasad, K. Törmäkangas, J. Kervinen, T.L. Blundell* 131

Modification of a metal ligand in carbonic anhydrase: crystal structure of His^{94}→Glu human isozyme II (FEBS 14549) *Y. Xue, B.-H. Jonsson, A. Liljas, S. Lindskog* 137

Calcium channels: the β-subunit increases the affinity of dihydropyridine and Ca^{2+} binding sites of the α_1-subunit (FEBS 14551) *J. Mitterdorfer, M. Froschmayr, M. Grabner, J. Striessnig, H. Glossmann* 141

Herbivore-induced volatiles: the emission of acyclic homoterpenes from leaves of *Phaseolus lunatus* and *Zea mays* can be triggered by a β-glucosidase and jasmonic acid (FEBS 14561) *J. Hopke, J. Donath, S. Blechert, W. Boland* 146

Facilitated intramolecular electron transfer in cytochrome *bo*-type ubiquinol oxidase initiated upon reaction of the fully reduced enzyme with dioxygen (FEBS 14552) *Y. Orii, T. Mogi, M. Kawasaki, Y. Anraku* 151

High level expression and characterisation of Plasmepsin II, an aspartic proteinase from *Plasmodium falciparum* (FEBS 14553) *J. Hill, L. Tyas, L.H. Phylip, J. Kay, B.M. Dunn, C. Berry* 155

A novel dehydroascorbate reductase from spinach chloroplasts homologous to plant trypsin inhibitor (FEBS 14560) *S. Trümper, H. Follmann, I. Häberlein* 159

The fusicoccin receptor of plants is a member of the 14–3–3 superfamily of eukaryotic regulatory proteins (FEBS 14562) *C. Oecking, C. Eckerskorn, E.W. Weiler* 163

T cell epitope analysis with peptides simultaneously synthesized on cellulose membranes: fine mapping of two DQ dependent epitopes (FEBS 14563) *S. Adler, R. Frank, A. Lanzavecchia, S. Weiss* 167

Expression of TIMP3 mRNA is elevated in retinas affected by simplex retinitis pigmentosa (FEBS 14564) *S.E. Jones, C. Jomary, M.J. Neal* 171

Cloning of a *Xenopus laevis* muscarinic receptor encoded by an intronless gene (FEBS 14570) *L. Herrera, P. Carvallo, M. Antonelli, J. Olate* 175

Confirmation of the existence of a third family among peptidyl-prolyl *cis/trans* isomerases: Amino acid sequence and recombinant production of parvulin (FEBS 14545) *J.-U. Rahfeld, K.P. Rücknagel, B. Schelbert, B. Ludwig, J. Hacker, K. Mann, G. Fischer* 180

A homodimer represents an active species of the peptidyl-prolyl *cis/trans* isomerase FKBP25mem from *Legionella pneumophila* (FEBS 14583) *B. Schmidt, J. Rahfeld, A. Schierhorn, B. Ludwig, J. Hacker, G. Fischer* 185

HMG-X, a *Xenopus* gene encoding an HMG1 homolog, is abundantly expressed in the developing nervous system (FEBS 14522) *M. Kinoshita, S. Hatada, M. Asashima, M. Noda* 191

Molecular cloning of Bac7, a proline- and arginine-rich antimicrobial peptide from bovine neutrophils (FEBS 14567) *M. Scocchi, D. Romeo, M. Zanetti* 197

The sevenmaker gain-of-function mutation in p42 MAP kinase leads to enhanced signalling and reduced sensitivity to dual specificity phosphatase action (FEBS 14571) *C.M. Bott, S.G. Thorneycroft, C.J. Marshall* 201

Involvement of the brain type of ryanodine receptor in T-cell proliferation (FEBS 14568) *Y. Hakamata, S. Nishimura, J. Nakai, Y. Nakashima, T. Kita, K. Imoto* 206

Complete Golgi passage of glycotripeptides generated in the endoplasmic reticulum of mammalian cells (FEBS 14572) *K. van Leyen, F. Wieland* 211

Susceptibility of tenascin to degradation by matrix metalloproteinases and serine proteinases (FEBS 14573) *K. Imai, M. Kusakabe, T. Sakakura, I. Nakanishi, Y. Okada* 216

A herbicide antidote (safener) induces the activity of both the herbicide detoxifying enzyme and of a vacuolar transporter for the detoxified herbicide (FEBS 14574) *C. Gaillard, A. Dufaud, R. Tommasini, K. Kreuz, N. Amrhein, E. Martinoia* 219

Properties of carbohydrate-free recombinant glycogenin expressed in an *Escherichia coli* mutant lacking UDP-glucose pyrophosphorylase activity (FEBS 14575) *M.D. Alonso, J. Lomako, W.M. Lomako, W.J. Whelan, J. Preiss* 222

The expression of different annexins in the fish embryo is developmentally regulated (FEBS 14569) *V.V. Ivanenkov, K. Weber, V. Gerke* 227

Interleukin-8 processing by neutrophil elastase, cathepsin G and proteinase-3 (FEBS 14565) *M. Padrines, M. Wolf, A. Walz, M. Baggiolini* 231

Phosphorylation of a proline-directed kinase motif is responsible for structural changes in myogenin (FEBS 14577) *N. Hashimoto, M. Ogashiwa, E. Okumura, T. Endo, S. Iwashita, T. Kishimoto* 236

N-Ethylmaleimide-sensitive mutant (βVal-153→Cys) *Escherichia coli* F1-ATPase: cross-linking of the mutant β subunit with the α subunit (FEBS 14576) *A. Iwamoto, Y. Orita-Saita, M. Maeda, M. Futai* 243

Real-time analysis of the calcium-dependent interaction between calmodulin and a synthetic oligopeptide of calcineurin by a surface plasmon resonance biosensor (FEBS 14578) *E. Takano, M. Hatanaka, M. Maki* 247

NMR solution structure of the recombinant tick anticoagulant protein (rTAP), a factor Xa inhibitor from the tick *Ornithodoros moubata* (FEBS 14554) *W. Antuch, P. Güntert, M. Billeter, T. Hawthorne, H. Grossenbacher, K. Wüthrich* 251

Hypotheses

On the origin of the genetic code (FEBS 14587) *H. Kuhn, J. Waser* 259

A molecular mechanism for q_E-quenching (FEBS 14589) *A.R. Crofts, C.T. Yerkes* 265

Minireview

Basepairing with 18S ribosomal RNA in internal initiation of translation (FEBS 14588) *G.C. Scheper, H.O. Voorma, A.A.M. Thomas* 271

Research Letters

Protein phosphatase 1 can modulate alternative 5′ splice site selection in a HeLa splicing extract (FEBS 14586) *B. Cardinali, P.T.W. Cohen, A.I. Lamond* 276

Multi-step processing of procathepsin L in vitro (FEBS 14537) *K. Ishidoh, E. Kominami* 281

Removal of Mg^{2+} inhibition of cardiac ryanodine receptor by palmitoyl coenzyme A (FEBS 14582) *T. Connelly, C. Ahern, M. Sukhareva, R. Coronado* 285

Epidermal growth factor and transforming growth factor-α mRNA in rat small intestine: in situ hybridization study (FEBS 14555) *B. Dvořák, H. Holubec, A.V. LeBouton, J.M. Wilson, O. Koldovský* 291

Functional interaction between the epidermal growth factor receptor and c-Src kinase activity (FEBS 14590) *P.A. Oude Weernink, A.E. Ottenhoff-Kalff, M.P. Vendrig, E.A.C.M. van Beurden, G.E.J. Staal, G. Rijksen* 296

Analysis of RNase A refolding intermediates by electrospray/mass spectrometry (FEBS 14579) *C. Torella, M. Ruoppolo, G. Marino, P. Pucci* 301

Comparison of the kinetic properties of MGDG synthase in mixed micelles and in envelope membranes from spinach chloroplast (FEBS 14591) *E. Maréchal, M.A. Block, J. Joyard, R. Douce* 307

Autophosphorylation-activated protein kinase inactivates the protein tyrosine phosphatase activity of protein phosphatase 2A (FEBS 14594) *Z. Damuni, H. Xiong, M. Li* 311

Aspartic proteinases – Fourier transform IR studies of the aspartic carboxylic groups in the active site of pepsin (FEBS 14592) *G. Iliadis, G. Zundel, B. Brzezinski* 315

Purification and spectroscopic characterization of a recombinant amino-terminal polypeptide fragment of mouse epithelial cadherin (FEBS 14595) *K.I. Tong, P. Yau, M. Overduin, S. Bagby, T. Porumb, M. Takeichi, M. Ikura* 318

Formation of bioactive sphingoid molecules from exogenous sphingomyelin in primary cultures of neurons and astrocytes (FEBS 14597) *L. Riboni, A. Prinetti, R. Bassi, G. Tettamanti* 323

A membrane-bound HIPIP type center in the thermohalophile *Rhodothermus marinus* (FEBS 14598) *M.M. Pereira, A.M. Antunes, O.C. Nunes, M.S. da Costa, M. Teixeira* 327

Plant proteins that bind to the 3′-terminal sequences of the negative-strand RNA of three diverse positive-strand RNA plant viruses (FEBS 14599) *R.J. Hayes, V.C.A. Pereira, K.W. Buck* 331

Phosphorylation of JAK2 in thrombin-stimulated human platelets (FEBS 14596) *B. Rodríguez-Liñares, S.P. Watson* 335

The immediate vicinity of mouse metallothionein-I gene contains two sites conferring glucocorticoid inducibility to the heterologous promoter (FEBS 14593) *S.Y. Plisov, M.G. Nichiporenko, A.L. Shkapenko, V.P. Kumarev, L.V. Baranova, T.I. Merkulova* 339

Determination of the vitronectin binding site on plasminogen activator inhibitor 1 (PAI-1) (FEBS 14603) *M. van Meijer, R. Klein Gebbink, K.T. Preissner, H. Pannekoek* 342

The organisation of the multigene family which encodes the major cell surface protein, pMGA, of *Mycoplasma gallisepticum* (FEBS 14604) *P.F. Markham, M.D. Glew, J.E. Sykes, T.R. Bowden, T.D. Pollocks, G.F. Browning, K.G. Whithear, I.D. Walker* 347

Selective inhibition of lignoceroyl-CoA synthetase by adenosine 5′-alkylphosphates (FEBS 14605) *T. Shiraishi, K. Tezuka, Y. Uda* 353

TGFβ1 suppresses EGF-induced increase in nuclear type 1 protein phosphatase activity at the G_1/S transition of hepatocyte proliferation (FEBS 14606) *Y. Kakinoki, Y. Mizuno, N. Takizawa, Y. Imai, T. Miyazaki, K. Kikuchi* 356

Nitric oxide and proteoglycan biosynthesis by human articular chondrocytes in alginate culture (FEBS 14607) *H.J. Häuselmann, L. Oppliger, B.A. Michel, M. Stefanovic-Racic, C.H. Evans* 361

Peroxide-induced spectral perturbations of the 280-nm absorption band of cytochrome *c* oxidase (FEBS 14612) *R.W. Larsen* 365

Single channel activity of the ryanodine receptor calcium release channel is modulated by FK-506 (FEBS 14614) *G.P. Ahern, P.R. Junankar, A.F. Dulhunty* 369

Functional alterations of the mitochondrially encoded ND4 subunit associated with Leber's hereditary optic neuropathy (FEBS 14584) *M. Degli Esposti, V. Carelli, A. Ghelli, M. Ratta, M. Crimi, S. Sangiorgi, P. Montagna, G. Lenaz, E. Lugaresi, P. Cortelli* 375

Effect of unmodified triple helix-forming oligodeoxyribonucleotide targeted to human multidrug-resistance gene *mdr1* in MDR cancer cells (FEBS 14608) *B. Scaggiante, C. Morassutti, G. Tolazzi, A. Michelutti, M. Baccarani, F. Quadrifoglio* 380

Purification and characterization of a novel tripeptidyl aminopeptidase from *Streptomyces lividans 66* (FEBS 14601) *T.J. Krieger, D. Bartfeld, D.L. Jenish, D. Hadary* 385

Identification of serines-1035/1037 in the kinase domain of the insulin receptor as protein kinase Cα mediated phosphorylation sites (FEBS 14609) *F. Liu, R.A. Roth* 389

The human serotonin 5-HT2B receptor: pharmacological link between 5-HT2 and 5-HT1D receptors (FEBS 14581) *D.-S. Choi, G. Birraux, J.-M. Launay, L. Maroteaux* 393

Book Reviews 400

Booklist No. 120 403

Author index to volume 352 404

Contents to volume 352 409